



060-519166 

Pressure switch, KP6B

Regulation range [bar] Pe: 8 - 42, Differential [bar]: 4, Contact function: SPDT, Reset function: Manual Max, Pressure connection type: Flare, Pressure connection size: 1/4, Pressure Male/Female: Male, Enclosure rating IP: IP30, Max. Working Pressure [bar]: 46.5

PRODUCT DETAILS

Gross weight	0.33 Kilogram
Net weight	0.291 Kilogram
Volume	0.57 Liter
EAN	5702428030038
Type	KP6B
Product group	Switches and thermostats
Product Name Description	Pressure switch
Amb. Temp. Note	80 °C/176 °F for max 120 min
Ambient temperature range [°C] [max]	65 °C
Ambient temperature range [°C] [min]	-25 °C
Ambient temperature range [°F] [max]	149 °F
Ambient temperature range [°F] [min]	-13 °F
Application note	Not applicable for liquid line
Approval	CCC, CE, DNV, EAC, GL, LLC CDC EURO-TYSK, LVD, PED, RINA, RMRS, RoHS China, c UL us UL873, CS C22.2
CE mark	Yes
China RoHS compliance	Yes
Contact function	SPDT
Contact rating	AC15=10 A, 400 V AC1=16 A, 400 V AC3=16 A, 400 V DC13=12 W, 220 V LR=112 A, 400 V
Contains batteries	No
Differential [bar]	4 bar
Differential [psi]	58 psi
EEE category	5 small equipment (any external dimension < 50 cm)
Electrical connection	Rubber cable gland
Electrical connection size	6-14 mm
EN 60947 electrical properties	Insulation: 400V Pollution degree: 3 Rated impulse voltage: 4 kV Short circuit prot, fuse: 16A
EN 60947 wiring properties	Flex, ferrules: 0.5-1.5 mm2

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

PRODUCT DETAILS

	Flex, no ferrules: 0.7-2.5 mm ² Solid/stranded: 0.75-2.5 mm ²
Enclosure rating IP	IP30
Enclosure rating Nema (~)	1
EU RoHS compliance	Yes
EU RoHS exemption clause	No
Fluid Group	1
In scope of WEEE	Yes
Lubricants compatibility	Oilfree applications
Max. test pressure [bar] Pe	46.5 bar
Max. test pressure [psig]	675 psig
Max. Working Pressure [bar]	46.5 bar
Max. Working Pressure [psig]	675 psig
Oil free refrigerants	R134a R513A R515B
Packing format	Multi pack
PED category	IV
Pressure connection size	1/4
Pressure connection standard	DIN 8906
Pressure connection type	Flare
Pressure Male/Female	Male
Pressure sensing element	Bellows
Product accessories	Switches accessories
Product description	Pressure Switch
Quantity per packing format	36 pc
REACH Candidate List substances	Lead (CAS no. 7439-92-1) Cadmium oxide (CAS no.1306-19-0)
Refrigerants	R113, R1234yf, R1234yz, R1234ze(E), R124, R134a, R22, R404A, R407A, R407C, R407F, R407H, R410A, R422B, R422D, R438A, R448A, R449A, R449B, R450A, R452A, R454C, R455A, R507A, R513A, R515B, R744, R1233zd(E)
Regulation range [bar] Pe [max]	42 bar
Regulation range [bar] Pe [min]	8 bar
Regulation range [psig] Pe [max]	610 psig
Regulation range [psig] Pe [min]	116 psig
Reset function	Manual Max
SCIP dossier no.	ec459161-9478-495c-870e-4ae0f13b89b4
SCIP dossier product name	KP Pressure Switch
Serviceable	No
UL approval file name	E31024
UL approved refrigerants	R113, R124, R134a, R22, R404A, R407A, R407C, R407F, R407H, R410A, R422B, R422D, R438A, R448A, R449A, R449B, R450A, R452A, R507A, R513A, R515B, R744
UL mark	Yes

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store [↗](#)

For more information, please use this link to visit the product page on Danfoss Product Store [↗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Accessories



060-019366 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Industrial pack, Quantity per packing format: 50



060-019066 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Industrial pack, Quantity per packing format: 50



017-420566 [🔗](#)

Switches accessories, Reducing Nipple

Type designation: Reducing nipple, Packing format: Multi pack, Quantity per packing format: 5



023U8001 [🔗](#)

FSA, Flare, Solder, ODF, Adapter

Product Type: FSA, Inlet connection type: Flare, Outlet connection type: Solder, ODF, Adapter



023U8002 [🔗](#)

FSA, Flare, Solder, ODF, Adapter

Product Type: FSA, Inlet connection type: Flare, Outlet connection type: Solder, ODF, Adapter



023U8011 [🔗](#)

FSA, Flare, Solder, ODF, Adapter

Product Type: FSA, Inlet connection type: Flare, Outlet connection type: Solder, ODF, Adapter



023U8012 [🔗](#)

FSA, Flare, Solder, ODF, Adapter

Product Type: FSA, Inlet connection type: Flare, Outlet connection type: Solder, ODF, Adapter



023U8041 [🔗](#)

FSA, Flare, Solder, ODF, Adapter

Product Type: FSA, Inlet connection type: Flare, Outlet connection type: Solder, ODF, Adapter



060-000466 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Industrial pack, Quantity per packing format: 50



060-001166 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Industrial pack, Quantity per packing format: 50

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Accessories



060-002366 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Multi pack, Quantity per packing format: 50



060-005966 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Industrial pack, Quantity per packing format: 100



060-008666 [🔗](#)

Switches accessories, Front cover

Type designation: Front cover, Used for product: KP single, Packing format: Multi pack, Quantity per packing format: 6



060-016366 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Multi pack, Quantity per packing format: 40



060-016866 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Multi pack, Quantity per packing format: 40



060-017666 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Multi pack, Quantity per packing format: 40



060-019166 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Industrial pack, Quantity per packing format: 50



060-019266 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Industrial pack, Quantity per packing format: 50



060-033066 [🔗](#)

Switches accessories, IP55 Enclosure For KP (Single)

Type designation: IP55 enclosure, Used for product: KP single, Packing format: Multi pack, Quantity per packing format: 30



060-104866 [🔗](#)

Switches accessories, Damping device

Type designation: Damping device, Used for product: KP, Packing format: Multi pack, Quantity per packing format: 20

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Accessories



060-105566 [🔗](#)

Switches accessories, Mounting bracket

Type: Accessory, Used for product: KP; MP, Mounting bracket, Packing format: Multi pack, Quantity per packing format: 10



060-105666 [🔗](#)

Switches accessories, Mounting bracket

Type: Accessory, Used for product: KP; MP, Mounting bracket, Packing format: Multi pack, Quantity per packing format: 10



060-105766 [🔗](#)

Switches accessories, Seal screw

Type designation: Seal screw, Used for product: KP, Packing format: Multi pack, Quantity per packing format: 20



060-333866 [🔗](#)

Switches accessories, Transition Nipple

Type designation: Reducing nipple, Packing format: Multi pack, Quantity per packing format: 20



060-000566 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Industrial pack, Quantity per packing format: 50



060-003166 [🔗](#)

Switches accessories, Cap

Type designation: Cap, Used for product: KP single, Packing format: Multi pack, Quantity per packing format: 7



060-004866 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Multi pack, Quantity per packing format: 50



060-007066 [🔗](#)

Switches accessories, Capillary Tube Min. 50 pcs.

Type designation: Capillary tube, Packing format: Industrial pack, Quantity per packing format: 50



060-007166 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Industrial pack, Quantity per packing format: 40



060-007266 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Industrial pack, Quantity per packing format: 50

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Accessories



060-016766 [🔗](#)

Switches accessories, Capillary Tube

Type designation: Capillary tube, Packing format: Multi pack, Quantity per packing format: 50



060-017166 [🔗](#)

Capillary tube

Type designation: Capillary tube, Used for product: RT; WVS; WVFX; KP; WVO; MP, Packing format: Multi pack, Quantity per packing format: 50



060-018966 [🔗](#)

Switches accessories, Locking plate

Type designation: Locking plate, Parts included: 1x screw M3x5, Packing format: Multi pack, Quantity per packing format: 20



060-062866 [🔗](#)

Switches accessories, IP55 Transparent Enclosure

Type designation: IP55 enclosure, Used for product: KP single, Packing format: Multi pack, Quantity per packing format: 30



060-105966 [🔗](#)

Switches accessories, Screwed Cable Entry With Nut

Type designation: Cable gland, Packing format: Multi pack, Quantity per packing format: 5



060-109766 [🔗](#)

Switches accessories, Top cover, KP single

Type designation: Top cover, Used for product: KP single, Packing format: Multi pack, Quantity per packing format: 10

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.