


Tipo :


**D7/C**

do: 7 mm

Type :



kg. 0,25



kg. 0,22

Omologazione <i>Homologation</i>	PN	Coefficiente efflusso ridotto <i>Low flow coefficient</i>	Campo di taratura <i>Setting range</i>
CE - UKCA	60	0,85	0,3 - 60,0 bar
EAC	60	0,85	0,3 - 60,0 bar
ATEX Ex h II 2 Gb - UKEX	60	0,85	0,3 - 60,0 bar
ATEX Ex h II 2 Db - UKEX	60	0,85	0,3 - 60,0 bar
ASME XIII - CRN (Canada)	60	0,629	1,0 - 60,0 bar
SELO - TSG	60	0,629	1,0 - 60,0 bar

**CONFIGURAZIONE - CONFIGURATION**

Materiale <i>Material</i>	Ottone <i>Brass</i>	Mista Ottone-Acciaio inox <i>Mixed Brass-Stainless steel</i>	Acciaio inox <i>Stainless steel</i>
<b>Modelli</b> <i>Model</i>	Con ghiera <i>With ring nut</i>	Con ghiera <i>With ring nut</i>	Con ghiera <i>With ring nut</i>
	Senza Ghiera <i>Without ring nut</i>	Senza Ghiera <i>Without ring nut</i>	Senza Ghiera <i>Without ring nut</i>
	/	/	/
	/	/	/
	/	/	/
<b>Sedi di Tenuta</b> <i>Seal System</i>	N.B.R. (Std) -10 / + 100 °C	N.B.R. (Std) -10 / + 100 °C	N.B.R. (Std) -10 / + 100 °C
	E.P.D.M. -50 / + 150 °C	E.P.D.M. -50 / + 150 °C	E.P.D.M. -50 / + 150 °C
	VITON -20 / +200 °C	VITON -20 / +200 °C	VITON -20 / +200 °C
	SILICONE -60 / +200 °C	SILICONE -60 / +200 °C	SILICONE -60 / +200 °C
	PTFE -196 / +250 °C	PTFE -196 / +250 °C	PTFE -196 / +250 °C
	KALREZ -20 / +250 °C	KALREZ -20 / +250 °C	KALREZ -20 / +275 °C
	/	/	/
<b>Connessione Entrata</b> <i>Inlet Connection</i>	G.1/4" - 3/8" ISO228	G.1/4" - 3/8" ISO228	G.1/4" - 3/8" ISO228
	G.3/8" ISO228 F.	G.3/8" ISO228 F.	G.3/8" ISO228 F.
	R.1/4" - 3/8" EN10226	R.1/4" - 3/8" EN10226	R.1/4" - 3/8" EN10226
	1/4" - 3/8" NPT	1/4" - 3/8" NPT	1/4" - 3/8" NPT
	/	3/4" Tri Clamp	3/4" Tri Clamp
	/	/	/
	/	/	/
<b>Connessione Uscita</b> <i>Outlet Connection</i>	G.1/2" ISO228	G.1/2" ISO228	G.1/2" ISO228
	/	/	/
	/	/	/
	/	/	/
	/	/	/
	/	/	/
	/	/	/

A richiesta possono essere eseguiti collaudi dai più prestigiosi enti quali: INAIL (area ISPESL), TÜV, RINA, Bureau Veritas, ABS e Lloyd Register.  
On request tests can be made by the most prestigious societies, such as: INAIL (area ISPESL), TÜV, RINA, Bureau Veritas, ABS and Lloyd Register.

**Note:**